
NOVEL POLYAZIDO COMPOUNDS

Abstract

This invention relates to a series of novel compounds having the general structures A and B:



(B)

1.
$$X = N_3$$
; $Y = CH_2N_3$; $A = B = N_3$

2.
$$X = OH$$
; $Y = CH_2N_3$; $A = B = N_3$

3.
$$X = ONO_2$$
; $Y = CH_2N_3$; $A = B = N_3$

4.
$$X = NO_2 \tilde{Y} = CH_2N_3$$
; $A = B = N_3$

5.
$$X = Y = NO_2$$
; $A = B = N_3$

5.
$$X = Y = NO_2$$
; $A = B = N_3$
12. $X = Y = NO_2$; $A = B = N_3$

13.
$$X = OH$$
; $A = B =$

$$Y =$$

$$N = N$$

$$N = N$$

$$N = N$$

$$N = N$$

$$N_3$$
6. $Z = CH_2$
7. $Z = O$

 N_3

8.
$$Z = NOH$$

8.
$$Z = NOH$$
7-DNPH. $Z = N$
 NO_2
 NO_2

including 2-azido-2-azidomethyl-1,3-diazidopropane (1),

2-azidomethyl-2-hydroxy-1,3-diazidopropane (2),

2-azidomethyl-2-nitrato-1,3-diazidopropane (3),

2-azidomethyl-2-nitro-1,3-diazidopropane (4),

2,2-dinitro-1,3-diazidopropane (5), methallyldiazide (6), a dimer

of methallyldiazide (6), comprising

3a,8a-Bis-azidomethyl-3a,4,8a,9-tetrahydro-3H,8H-bis[1,2,3]tria zolo[1,5-a;1",5"-d]pyrazine (6-Dimer), 1,3-diazidoacetone (7), and 2-Oximido-1,3-diazidopropane (8). Also shown are reaction intermediates of these compounds, including

- 2,2-bis(chloromethyl)oxirane (9), and
- 2,2-bis(azidomethyl)oxirane (10).In addition, a number of potentially useful energetic compounds have been prepared from the low molecular weight polyazido compounds above, including N-2(azido-1-azidomethyl-ethylidene)-N"-(2,4-dinitrophenyl)-hydra zine (7-DNPH), 1,3-Bis(4-carboxytriazolyl)2,2-dinitropropane (12), Tris(4-carboxytriazolomethyl)methanol (13), Benzene-1,3,5-tricarboxylic acid

tris(2-azido-1,1-bisazidomethyl-ethyl)ester (14), Adamantane 1,3,5,7-tetracarboxylic acid

tetrakis(2-azido-1,1-bisazidomethyl-ethyl)ester (15), Adaman-tane carboxylic acid 2-azido-1,1-bisazidomethyl-ethyl)ester (16), cubane 1,3,5,7-tetracarboxylic acid tetrakis

(2-azido-1,1-bisazidomethyl-ethyl)ester (17), cubane

1,4-dicarboxylic acid bis(2-azido-1,1-bisazidomethyl-ethyl)ester (18).